

Make doing the washing
more enjoyable.



LAUNDRY JET
x  **sach**
Air to move



**No more smelly
laundry baskets**
in your bedroom,
wardrobe or
bathroom.



The Laundry Jet is the **first vacuum powered laundry chute** that transports laundry from any room with ports installed, to the laundry room. Unlike a traditional laundry chute, the Laundry Jet can be used regardless of if a home is multi-level or single story because it is not reliant solely on gravity. It can be installed seamlessly into any custom laundry room design and existing laundry rooms. This is a must-have laundry item for any family or individual looking for a convenient and safe way to transport clothes to the laundry room from any room in the house.

How does it work?

To use the Laundry Jet system, simply open the nearest port to activate the system. Using the open port, feed dirty laundry into the open port to be transported into the laundry room.




Works in
Multiple or
single level
homes



Transports
clothes up to
60m



Adaptable for
industrial use



Return unit



Laundry Jet



Ports



EXPRESS



The Laundry Jet Express is our lowest cost entry level wall mounted model with up to 2 available ports. The Express can be used with the Lift Port or Slide manual Ports and has an automated cycle which allows the user to insert clothes, towels, or bedding leaving.

Technical characteristics

Voltage (V)	230
Air flow (m ³ /h)	1.700
Noise level (dB)	80
Max n° of ports	2
Weight (kg)	23



Up to 2 ports



Auto emptying
for continuous use



Reflective white
polished finish

SWIFT



Laundry Jet Swift is our entry level wall mounted model with up to 4 available ports. It's unique style, easy view Perspex rectangular viewport and stunning gloss Acrylic finish add a unique and futuristic feel to any laundry room.

Technical characteristics

Voltage (V)	230
Air flow (m ³ /h)	1.700
Noise level (dB)	80
Max n° of ports	4
Weight (kg)	23



Up to 4 ports



Auto emptying
for continuous use



Gloss Acrylic
finish

PLUS



The Laundry Jet Plus integrates seamlessly into any custom laundry room design and is our top of the range model in terms of custom style, capacity and number of ports, up to 8. The Plus installs inside your own custom cabinetry to maintain the overall aesthetic in your laundry room while adding the maximum benefit the Laundry Jet technology.

Technical characteristics

Voltage (V)	230
Air flow (m ³ /h)	1.700
Noise level (dB)	80
Max n° of ports	8
Weight (kg)	41



Up to 8 ports



Auto emptying
for continuous use



Installation
inside cabinets

RETURN UNIT



All systems are compatible with the Return Unit. The Return Unit can be installed in a bedroom, closet, or other room where the user desires clean laundry to be returned to. After the laundry is cleaned, open the port in the laundry room, feed clean laundry into the open port, and clean laundry will be transported to the Return Unit.

Technical characteristics

Voltage (V)	230
Air flow (m ³ /h)	1.700
Noise level (dB)	80
Max n° of ports	1
Weight (kg)	20

SMALL RETURN UNIT



Same main characteristics than the Return unit but in a small size.

Technical characteristics

Voltage (V)	230
Air flow (m ³ /h)	1.700
Noise level (dB)	80
Max n° of ports	1
Weight (kg)	20

LIFT



The Laundry Jet Lift Port is our entry level manual port. It is aimed as an economic port while still retaining the functionality and style.

Technical characteristics

Noise level (dB)	22
Manual lift and hold opening	
Weight (kg)	0.90

SLIDE



The Laundry Jet Slide Port is our latest manual port design while still retaining the design of isense port

Technical characteristics

Noise level (dB)	22
Manual slide opening	
Weight (kg)	0.80

iSENSE




The Laundry Jet iSense Port is our latest automatic port design. It is a fully automatic port using sensing technology for easy hands free use.

Technical characteristics

Noise level (dB)	22
Auto open and close	
Weight (kg)	1.60


INSTALLATION MATERIAL




Port 90° Assembly
+ Sleeve



PVC PIPE Ø160



90° Sweep elbow
Ø160



45° Elbow Ø160



45° Single wye
Ø160



Pipe coupler Ø160



Isophonic pipe
strap Ø160



Signal cable with
connectors 1m





Sach-air.com

Calle Vereda de los Barros 67
Pol. Ind. Ventorro del Cano
28925, Alcorcón, Madrid
Spain



+ 34 91 633 34 93
+34 635 41 49 80



@sachvacuum



@sachvacuum



@sachvacuum



@sachvac

LAUNDRY JET

x sach
Air to move